







# SHINGLE-VATOR

Heavy duty yet economical rooftop delivery equipment. Choose from electric or hydraulic models in lengths of 12' - 24'



Shingle-Vator's design makes your job site maneuvering easy with greater versatility.



Removal and installation from your truck is simple and safe.





 All units come standard with CA-550 roller chain and stainless steel paddles for longer product life and less maintenance.

### Hydraulic Shingle-Vator





- Hydraulic operations include lift to rooftop and shingle delivery in both forward and reverse.
- Hydraulic units rotate manually.
- Controls are located for convenient and safe operation of the conveyor.
- Hydraulic Shingle-Vator will provide increased delivery time due to a greater load capacity.
- The hydraulic Shingle-Vator comes with variable speed control and
- Electric Shingle-Vator comes standard with reverse and maximum load carry capacity of two bundles of shingles at once.



All units are constructed with heavy duty greasable bearings for longer product life and less maintenance.



## **Electric Shingle-Vator**

- Both the electric and hydraulic units come standard with the Richmond Truck Mount System<sup>™</sup> (TMS).
- Electric units are raised to the rooftop with a heavy duty manual pump jack.
- Electric units rotate manually.

# SHINGLE-VATOR

Shingle-Vator is a lightweight, yet strong and durable shingle conveyor that can be easily removed and installed on your truck



Step 1 Remove bolt from pocket.

Step 2 Swing unit out to side or rear of truck bed and level.



- Both electric and hydraulic units come standard with deluxe roof support.
- Stand bulkhead support shown.







#### **Available Options**

- Extra pockets can be ordered for multiple truck applications.
- Removable bulkhead supports.
- Hydraulic upgrade operates off truck existing PTO used for the dump bed.

All Richmond Conveyor models are designed and built with SAFETY in mind. Please read and follow your owners/instruction manual before using.

- Service and installation available at the Michigan factory or service centers located nationally.
- Truck beds with dump operation are not affected by installation of the unit.
- Parts and service available for all units.
- Shingle-Vator units are available in lengths of 12'-24'.

See our full line of Richmond Conveyor models



Straatsma Associates, Inc. P.O. Box 312 Linden, Michigan 48451 Tel: (810) 735-6957 Fax: (810) 735-0687 www.StraatsmaInc.com





